Cast Iron Fittings Pressure Ratings







Cast Iron Threaded Fittings						
	Dimensions	Threads	Material	Coating	Pressure Rating	
Class 125	ASME B16.4	ASME B1.20.1	ASTM A126	NA	ASME B16.3	

Cast Iron Threaded Fittings Pressure-Temperature Ratings				
Tomporotura (°E)	Working Pressure (psi)			
Temperature (°F)	Class 125			
-20 to 150	75			
200	165			
250	150			
300	140			
350	125(1)			

(1) Permissible for service temperature up to 360°F, reflecting the temperature of saturated steam at 125 psi.



CALIFORNIA 5595 Fresca Dr., La Palma CA 90623

TEXAS 1150 Silber Rd., Houston TX 77055 **ILLINOIS** 278 Windy Point Dr., Glendale Heights, IL 60139 **GEORGIA** 113 Industrial Blvd., Americus, Georgia 31709

NEW YORK PO Box 27, Rt.22, Brewster NY 10509 WEB: www.matco-norca.com

Phone: 866-532-8306
 Fax: 866-532-8307

• Phone: 800-935-5456 • Fax: 713-680-2999

• Phone: 844-412-5068 • Fax: 800-640-2252 • Phone: 800-433-7526 • Fax: 800-533-5134 • Phone: 800-431-2082 • Fax: 845-278-9056

EMAIL: mail@matco-norca.com