

RESIDENTIAL, COMMERCIAL & AGRICULTURAL IRRIGATION

Product Brochure



Matco-Norca's Irrigation team is dedicated to providing top-tier irrigation solutions designed to meet the unique demands of residential, commercial, and agricultural projects. Whether you're nurturing a lush backyard, running a commercial landscaping operation, or cultivating extensive agricultural lands, our valves are engineered to meet the diverse needs of your project. Designed for efficiency, reliability, and ease of use, our valves ensure that water reaches where it's needed, when it's needed—saving you time, resources, and money.

When you work with Matco-Norca, you're choosing a partner committed to excellence, innovation, and sustainability in irrigation. Explore our range of products and discover how we can help you achieve optimal water management for all your irrigation needs.





770
PVC White Ball Valve
Solvent and Threaded
Sizes from 1/2" to 4"



770N
PVC White Ball Valve
Economy Pattern
Solvent and Threaded
Sizes from 1/2" to 4" and 6"



770G
PVC Ball Valve Schedule 80
Solvent and Threaded
Sizes from 1/2" to 4"



772ST
PVC Ball Valve
True Union
Solvent and Threaded
Sizes from 1/2" to 2"



772
PVC Ball Valve
True Union
Solvent or Threaded
Sizes 3" and 4"



773
PVC Ball Valve
Single Union
Sizes 1-1/2" and 2"



470
PVC Union
Solvent
Sizes from 1/2" to 4"



523S
PVC SxS Inline Check Valve
with SS Spring
Sizes from 1/2" to 2"



400T
PVC Compression Coupling
Sizes from 1/2" - 4"



420T
PVC Adapter
Male X Compression
Sizes from 1/2" to 2"



460T
PVC Expandable Repair Coupling
Sizes from 1/2" to 4"



B1-RLO
Butterfly Valve
PVC Wafer Style
Lever Operator
Sizes from 2" to 6"



PVCF
Sch. 80 PVC Van Stone Flanges
Sizes 2" to 10"



NPX
Sch. 80 PVC Nipples
Sizes 1/4" through 6" in diameter
Available in long lengths up to 48"



514
Gate Valve
Brass
Sizes from 1/4" to 4"



514TX
Brass Gate Valve
X Handle
Sizes from 1/4" to 4"



503
Bronze Gate Valve
Sizes from 1/2" to 4"



513TX
Bronze Gate Valve
Non Rising Stem
H/W & Cross Handle
Sizes from 3/4" to 3"



200TLF
Lead Free
Globe Valve
Sizes from 3/8" to 2"



240T
Brass Angle
Globe Valve
Cross Handle
Sizes from 3/4" to 2"



240TH
Brass Angle
Globe Valve
Bronze Wheel Hand
Sizes from 3/4" to 2"



201X
Brass Stop Valve
with Cross Handle
Sizes 1/2" & 3/4"



759
Ball Valve
Full Port
Forged Brass
CSA Certified
Sizes from 1/4" to 4"



752N
Ball Valve
Standard Port
Forged Brass
Economy Pattern
Sizes from 1/4" to 4"



754D
Ball Valve
Full Port
Forged Brass
with Drain
Sizes from 1/2" to 1"



755MF
Ball Valve
Cast Bronze
Male x Female
Sizes from 1/8" to 1/4"



521
Brass Check Valve
Threaded & Sweat
Sizes 3/8" to 4"



525
Brass Inline Check Valve
Sizes from 1/2" to 2"



527T
Lead Free
Brass Foot Valve
Sizes from 1/2" to 2"



530LF
Bronze Check Valve
Sizes from 3/8" to 2"



532
Bronze Check Valve
Y Pattern
Sizes from 1/2" to 2"



145
Y Strainer
Bronze, with Brass Plug
Sizes from 1/4" to 3"



146LF
Lead Free Y Strainer
Brass
Sizes from 1/2" to 2"



646BV
Hose Bibb
Forged Brass
Sizes Hose x MIP 1/2" & 3/4"
1/2" MIP x 1/2" Solder Inlet



646R
Hose Bibb
Cast Brass
Sizes Hose x MIP 3/8" - 1"
1/2" MIP x 1/2" Solder Inlet



646AS
Back Flow Preventer
Sizes 3/4"
Garden Hose Threads



203IF
Inverted Nose
Garden Valve
Sizes Hose x 3/4" FIP



203TF
Brass Bent Nose
Garden Valve
Sizes from 1/2" to 1"



203TL
Brass Loose Key
Garden Valve
Sizes from 1/2" to 1"



204TF
Boiler Drain
Less Stuffing Box FIP
Sizes Hose x FIP 1/2" & 3/4"



204TM
Boiler Drain
Less Stuffing Box MIP
Sizes Hose x MIP 1/2" & 3/4"



205CM
Boiler Drain
with Stuffing Box
Male Copper Sweat
Sizes 1/2" Male Copper Sweat



205F
Full Flow Boiler Drain
Angle Spout
Sizes 1/2" & 3/4"



205FF
Full Flow Boiler Drain
Angle Spout
Sizes 1/2" & 3/4"



205TF
Boiler Drain
with Stuffing Box
Sizes 1/2" & 3/4" FIP



205TM
Boiler Drain
with Stuffing Box
Sizes 1/2" & 3/4" MIP



206C
Sillcock
Brass Body
Sizes 1/2" & 3/4"



206T
Sillcock
Brass Body
Sizes 1/2" & 3/4"




207TF
Hose Bibb
No Kink
Sizes Hose x MIP
or FIP 1/2" & 3/4"



207TM
Hose Bibb
No Kink
Sizes from 1/4" to 1/2"



431T-LF
Lead Free Brass
Water Meter Flange
& Flange Kits
Sizes 1-1/2" & 2"



431T-PLF
Double Lead Free Brass
Water Meter Flange
& Flange Kits
Sizes 1-1/2" & 2"



431T-SPLF
Single Lead Free Brass
Water Meter Flange
& Flange Kits
Sizes 1-1/2" & 2"



432T-P
Double Cast Iron
Meter Flange Kit
Sizes 1-1/2" & 2"



433L-LF
Lead Free
Water Meter Elbow
Sizes 3/4" MIP x 1" FIP



433T-LF
Lead Free
Water Meter Coupling
Sizes from 1/2" to 2"



433T-XLF
Lead Free
Water Meter Coupling
8-1/2" Long
Sizes 3/4" MIP x 1" FIP



440LC
Malleable Compression
Coupling
Galvanized
Long
Sizes from 3/8" to 3"



440TC
Malleable Compression Coupling
Galvanized
Short
Sizes from 1/2" to 4"



450L

Compression Coupling Brass
Long
Sizes from 3/8" to 2"

450T

Compression Coupling Brass
Short
Sizes from 1/2" to 2"

451

Brass Saddle Tee
Sizes from 3/4" to 3"

HYDFS-MLF

Brass Swivel Hydrant
Adapter
Sizes 2-1/2" FNST x 2" or 3" MIP

HYDM-MLF

Brass Double
Male Adapter
Sizes MNST x 1" to 3" MIP



IBMA

Bronze Adapter
Insert x Male
Sizes 1/2" to 2"

IBMAR

Brass Rope Adapter
Insert x Male with Rope Eye
Sizes 1" to 1-1/4"

IBMAX

Bronze Adapter
Insert x Male
Extra Long
Sizes from 1" to 1-1/4"

IGMA

Galvanized Insert Adapter
Sizes from 1/2" to 4"

ISMA

Stainless Steel
Male Insert Adapter
Sizes 3/4" to 1-1/4"



PRV

Pressure Relief Valve
Sizes 1/2" x 3/4"

MSCWSFLF

Water Service Fittings
Sizes from 3/4" to 2"

ISP

Stainless Steel
Insert Stiffeners
Fits IPS Polyethylene Pipe
Sizes from 3/4" to 2"

ISCP

Stainless Steel
Insert Stiffeners
Fits CTS Polyethylene Tube
Sizes from 3/4" to 2"



10RS
Threaded Cast Iron
Gate Valve Handwheel
Sizes from 2" to 6"



10RS_N
Threaded Cast Iron
Gate Valve Op Nut
Sizes from 2" to 4"



10RT
Ring Tite
Cast Iron Gate Valve
Sizes from 2" to 8"



10RW
Flanged
Cast Iron Gate Valve
Sizes from 2" to 12"



120F
Cast Iron
Flanged Check Valve
Sizes from 2" to 12"



120S
Cast Iron
Threaded Check Valve
Sizes 2" to 4"



120W
Ductile Iron Flanged
Check Valve
AWWA
Sizes from 3" to 12"



120WC
Ductile Iron Flanged
Check Valve
with Outside Lever & Weight
AWWA
Sizes from 3" to 16"



130M
AWWA C517
Ductile Iron Mechanical Joint
Eccentric Plug Valve
Sizes from 3" to 12"



130W
AWWA C517
Ductile Iron Flanged
Eccentric Plug Valve
Sizes from 3" to 12"



140EF
UL Epoxy Coated Cast Iron
Flanged Y Strainer
Sizes 2-1/2" to 12"



140F
Cast Iron
Flanged Y Strainer
Sizes from 2" to 12"



140S
Cast Iron Threaded Y Strainer
Sizes from 1/2" to 2"
20 Mesh S.S. Screen
Sizes from 2-1/2" to 3"
3/64 Perforated S.S. Screen



200WW
Ductile Iron Flanged
Gate Valve - AWWA
EPDM Wedge
Sizes from 2" to 12"



200WD
Ductile Iron Flanged
Gate Valve - AWWA
BUNA-N Wedge
Sizes from 6" to 16"



225W
AWWA C515
Ductile Iron Flanged Valve
Sizes from 2" to 24"



225M
AWWA C515
Ductile Iron
Mechanical Joint Valve
Sizes from 2" to 24"



225FJ
AWWA C515
Ductile Iron Flanged
x MJ Valve
Sizes from 3" to 12"



20SS
Stainless Steel
Threaded Ball Valve
Two piece - Full Port
Sizes from 1/4" to 3"



30SS
Stainless Steel
Threaded & Socket
Weld Ball Valve
Three Piece
Sizes from 1/4" to 4"



40SS
Stainless Steel Threaded
Gate Valve
Sizes from 1/2" to 2"



B5-RLO
Butterfly Valve Wafer Style
Lever Operated
NP Ductile Disc
BUNA-N Liner
Sizes from 2" to 12"



B5-RLOAB
Butterfly Valve Wafer Style
Lever Operated
Aluminum-Bronze Disc
BUNA-N Liner
Sizes from 2" to 12"



B5-RLOSE
Butterfly Valve Wafer Style
Lever Operated
316 Stainless Steel Disc
EPDM Liner
Sizes from 2" to 12"



B5-RWG
Butterfly Valve Wafer Style,
Gear Operated
Sizes from 2" to 36"



SBG
Plated Stud Bolt,
Nut and Washer Set
Sizes from 2" to 16"



B5-X
B5 Extensions
Sizes 24" - 72"



B5GRNUT
B5 Gear Nuts
Sizes 2" - 24"



B5LCH
B5 Latch Nut
Sizes 2" - 6"



CVC

Ductile Iron
Wafer Style Check Valve
Sizes from 2" to 16"

SC

Cast Iron
Silent Wafer Style
Check Valve
Sizes from 2" to 12"

WELD FLANGE

Sizes from 2" to 12" - 150 lbs
Sizes from 2" to 8" - 300 lbs

CICFB

Black Cast Iron
Companion Flange
Sizes from 1-1/2" to 12"

CICFG

Galvanized Cast Iron
Companion Flange
Sizes from 1-1/2" to 12"



B-CF

Brass Companion Flange
Threaded
Sizes from 1/2" to 6"

B-CFC

Brass Companion Flange
Sweat
Sizes from 1/2" to 4"

GSFFG

150# Full Face Rubber
Bolt & Gasket Sets
Sizes from 2" to 16"

GSNAG

150# Non-Asbestos Ring
Bolt & Gasket Sets
Sizes 2" to 16"



PEXLF

Lead Free
PEX Fittings
Sizes 3/8" to 1"

PPSU

Poly PEX Pipe Fittings
Sizes from 1/2" to 1"

PC

PVC Pipe Cutters
& Replacement Blades
Sizes 1/2" to 1-1/4" and 1-1/4" to 2"

TT

Tank Tee
Sizes 1" MIP x 3/4" FIP
Lengths 11", 14"



PG-100LF

Lead Free
Pressure Gauge
Size 1/4" MIP x 2" Diameter

TE ELECTRICAL TAPE

PVC Electrical Tape
60' Rolls
3/4" x 7 mil

TF TEFLON TAPE

Thread Sealing Tape
60' Rolls
1/2"-1" x 100-1296

TW PIPE WRAP

PVC Pipe Wrap
2" x 10 mil / 20 mil,
4" x 10 mil

Additional Customer Tools

PRODUCT PROFILE

MATCO NORCA



VALVES FITTINGS NIPPLES FAUCETS PLUMBING SPECIALTIES

VALVES

MATCO NORCA

Product Catalog



RESILIENT SEATED

MATCO NORCA

PLUG VALVES - GATE VALVES - CHECK VALVES

Product Brochure



FITTINGS & NIPPLES

MATCO NORCA

Product Catalog



NEW CUSTOMER PORTAL

OUR PRODUCTS

YOUR ORDERS

JUST ONE CLICK AWAY



**MATCO
NORCA**



mail@matco-norca.com | MATCO-NORCA.com



Global sourcing. National compliance. Local service.

CALIFORNIA

5595 Fresca Dr.
La Palma, CA 90623
Toll Free: 866-532-8306
Fax: 866-532-8307

TEXAS

1150 Silber Rd.
Houston, TX 77055
Toll Free: 800-935-5456
Fax: 713-680-2999

ILLINOIS

278 Windy Point Dr.
Glendale Heights, IL 60139
Toll Free: 844-412-5068
Fax: 800-640-2252

GEORGIA

113 Industrial Blvd.,
Americus, GA 32709
Toll Free: 800-433-7526
Fax: 800-533-5134

NEW YORK

POBox 27, R. 22,
Brewster, NY 10509
Toll Free: 800-431-2082
Fax: 845-278-9056