

PRODUCT SPECIFICATIONS

DOMESTIC BRASS FITTINGS

CLASS 125 lbs. & 250 lbs.



MATCO
NORCATM

www.matco-norca.com

DOMESTIC BRASS FITTINGS APPROVALS




- NSF / ANSI 61 Certified
- Buy American Act and ARRA. DEFARS 252.225-7008 (Defense Federal Acquisition Regulation Supplement) "American Made by American Trade"
- CSA Approved
- Castings to ASME B16.15
- NPT Threads to ASME B1.20.1

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Elbow 90




Part #	Size	Approx. Net WT.	A	B
DB-L9000LF	1/8"	0.060	0.53	0.53
DB-L9001LF	1/4"	0.102	0.71	0.71
DB-L9002LF	3/8"	0.186	0.82	0.82
DB-L9003LF	1/2"	0.229	1.01	1.01
DB-L9004LF	3/4"	0.335	1.18	1.18
DB-L9005LF	1"	0.554	1.43	1.43
DB-L9006LF	1-1/4"	0.912	1.69	1.69
DB-L9007LF	1-1/2"	1.388	1.84	1.84
DB-L9008LF	2"	2.242	2.12	2.12
DB-L9009LF	2-1/2"	3.387	2.70	2.70
DB-L9010LF	3"	5.335	3.08	3.08
DB-L9011LF	4"	9.015	3.79	3.79
DB-L9012LF	5"	17.20	4.50	4.50
DB-L9013LF	6"	25.90	5.13	5.13

Lead Free Brass Street Elbow 90



Part #	Size	Approx. Net WT.	A	B
DB-ST9000LF	1/8"	0.052	0.54	0.92
DB-ST9001LF	1/4"	0.101	0.71	1.11
DB-ST9002LF	3/8"	0.135	0.82	1.24
DB-ST9003LF	1/2"	0.195	1.01	1.48
DB-ST9004LF	3/4"	0.323	1.18	1.65
DB-ST9005LF	1"	0.589	1.43	1.98
DB-ST9006LF	1-1/4"	0.943	1.69	2.24
DB-ST900605LF	1-1/4" x 1"	0.750	1.62	2.22
DB-ST9007LF	1-1/2"	1.273	1.84	2.46
DB-ST9008LF	2"	2.131	2.12	2.88
DB-STL9009LF	2-1/2"	4.060	2.70	3.86
DB-STL9010LF	3"	6.484	3.08	4.51

Lead Free Brass Elbow 45




Part #	Size	Approx. Net WT.	A	B
DB-L4500LF	1/8"	0.054	0.42	0.42
DB-L4501LF	1/4"	0.091	0.56	0.56
DB-L4502LF	3/8"	0.137	0.63	0.63
DB-L4503LF	1/2"	0.208	0.78	0.78
DB-L4504LF	3/4"	0.311	0.89	0.89
DB-L4505LF	1"	0.540	1.06	1.06
DB-L4506LF	1-1/4"	0.800	1.22	1.22
DB-L4507LF	1-1/2"	1.072	1.30	1.30
DB-L4508LF	2"	1.708	1.45	1.45
DB-L4509LF	2-1/2"	3.280	1.95	1.95
DB-L4510LF	3"	4.840	2.17	2.17

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Street Elbow 45



Part #	Size	Approx. Net WT.	A	B
DB-ST4501LF	1/4"	0.075	0.56	0.88
DB-ST4502LF	3/8"	0.114	0.63	0.92
DB-ST4503LF	1/2"	0.179	0.78	1.06
DB-ST4504LF	3/4"	0.294	0.89	1.23
DB-ST4505LF	1"	0.488	1.06	1.40
DB-ST4506LF	1-1/4"	0.715	1.22	1.64
DB-ST4507LF	1-1/2"	0.931	1.30	1.80
DB-ST4508LF	2"	1.569	1.45	2.14

Lead Free Brass Reducing Elbow




Part #	Size	Approx. Net WT.	A	B
DB-RL0100LF	1/4" X 1/8"	0.086	0.65	0.60
DB-RL0200LF	3/8" X 1/8"	0.127	0.75	0.78
DB-RL0201LF	3/8" X 1/4"	0.126	0.75	0.78
DB-RL0301LF	1/2" X 1/4"	0.170	0.87	0.87
DB-RL0302LF	1/2" X 3/8"	0.177	0.93	0.90
DB-RL0401LF	3/4" X 1/4"	0.239	0.94	1.00
DB-RL0402LF	3/4" X 3/8"	0.288	0.97	0.97
DB-RL0403LF	3/4" X 1/2"	0.313	1.08	1.11
DB-RL0501LF	1" X 1/4"	0.407	1.12	1.13
DB-RL0502LF	1" X 3/8"	0.390	1.12	1.13
DB-RL0503LF	1" X 1/2"	0.448	1.20	1.24
DB-RL0504LF	1" X 3/4"	0.543	1.30	1.31
DB-RL0603LF	1-1/4" X 1/2"	0.715	1.29	1.41
DB-RL0604LF	1-1/4" X 3/4"	0.682	1.39	1.48
DB-RL0605LF	1-1/4" X 1"	0.794	1.52	1.60
DB-RL0703LF	1-1/2" X 1/2"	0.940	1.32	1.53
DB-RL0704LF	1-1/2" X 3/4"	0.884	1.42	1.60
DB-RL0705LF	1-1/2" X 1"	0.965	1.55	1.72
DB-RL0706LF	1-1/2" X 1-1/4"	1.004	1.72	1.81
DB-RL0803LF	2" X 1/2"	1.600	1.49	1.88
DB-RL0804LF	2" X 3/4"	1.546	1.47	1.84
DB-RL0805LF	2" X 1"	1.456	1.59	1.95
DB-RL0806LF	2" X 1-1/4"	1.477	1.77	2.04
DB-RL0807LF	2" X 1-1/2"	1.725	1.89	2.07
DB-RL0907LF	2-1/2" X 1-1/2"	2.920	2.16	2.51
DB-RL0908LF	2-1/2" X 2"	3.015	2.39	2.60
DB-RL1008LF	3" X 2"	3.800	2.52	2.89
DB-RL1009LF	3" X 2-1/2"	4.514	2.83	2.99

DOMESTIC BRASS FITTINGS - LF

125 lbs.

Lead Free Brass Coupling




Part #	Size	Approx. Net WT.	A
DB-CP00LF	1/8"	0.053	0.80
DB-CP01LF	1/4"	0.073	0.97
DB-CP02LF	3/8"	0.127	1.05
DB-CP03LF	1/2"	0.195	1.29
DB-CP04LF	3/4"	0.281	1.43
DB-CP05LF	1"	0.449	1.68
DB-CP06LF	1-1/4"	0.623	1.86
DB-CP07LF	1-1/2"	0.808	1.92
DB-CP08LF	2"	1.565	2.20
DB-CP09LF	2-1/2"	2.305	2.88
DB-CP10LF	3"	3.355	3.18
DB-CP11LF	4"	4.900	3.69
DB-CP12LF	5"	10.850	4.17
DB-CP13LF	6"	15.925	4.85

Part #	Size	Approx. Net WT.	A
DB-RC0100LF	1/4" X 1/8"	0.065	0.88
DB-RC0200LF	3/8" X 1/8"	0.107	0.92
DB-RC0201LF	3/8" X 1/4"	0.103	1.01
DB-RC0301LF	1/2" X 1/4"	0.135	1.13
DB-RC0302LF	1/2" X 3/8"	0.169	1.17
DB-RC0401LF	3/4" X 1/4"	0.212	1.24
DB-RC0402LF	3/4" X 3/8"	0.225	1.24
DB-RC0403LF	3/4" X 1/2"	0.251	1.36
DB-RC0501LF	1" X 1/4"	0.349	1.49
DB-RC0502LF	1" X 3/8"	0.324	1.49
DB-RC0503LF	1" X 1/2"	0.339	1.49
DB-RC0504LF	1" X 3/4"	0.376	1.56
DB-RC0603LF	1-1/4" X 1/2"	0.496	1.65
DB-RC0604LF	1-1/4" X 3/4"	0.545	1.65
DB-RC0605LF	1-1/4" X 1"	0.544	1.77
DB-RC0703LF	1-1/2" X 1/2"	0.596	1.80
DB-RC0704LF	1-1/2" X 3/4"	0.624	1.80
DB-RC0705LF	1-1/2" X 1"	0.666	1.80
DB-RC0706LF	1-1/2" X 1-1/4"	0.738	1.87
DB-RC0803LF	2" X 1/2"	1.020	1.94
DB-RC0804LF	2" X 3/4"	0.973	2.03
DB-RC0805LF	2" X 1"	1.012	2.03
DB-RC0806LF	2" X 1-1/4"	1.152	2.03
DB-RC0807LF	2" X 1-1/2"	1.121	2.03
DB-RC0906LF	2-1/2" X 1-1/4"	2.010	3.25
DB-RC0907LF	2-1/2" X 1-1/2"	2.158	3.25
DB-RC0908LF	2-1/2" X 2"	1.864	3.25
DB-RC1005LF	3" X 1"	4.750	2.45
DB-RC1006LF	3" X 1-1/4"	1.995	3.69
DB-RC1009LF	3" X 2-1/2"	3.800	3.69
DB-RC1108LF	4" X 2"	5.540	4.38
DB-RC1110LF	4" X 3"	6.130	4.38
DB-RC1311LF	6" X 4"	12.600	4.75

DOMESTIC BRASS FITTINGS - LF

125 lbs.


Lead Free Brass Tee



Part #	Size	Approx. Net WT.	A	B	C
DB-T00LF	1/8"	0.094	0.54	0.54	0.54
DB-T01LF	1/4"	0.129	0.71	0.71	0.71
DB-T02LF	3/8"	0.213	0.82	0.82	0.82
DB-T03LF	1/2"	0.344	1.01	1.01	1.01
DB-T04LF	3/4"	0.483	1.18	1.18	1.18
DB-T05LF	1"	1.150	1.43	1.43	1.43
DB-T06LF	1-1/4"	1.743	1.69	1.69	1.69
DB-T07LF	1-1/2"	2.145	1.84	1.84	1.84
DB-T08LF	2"	3.760	2.12	2.12	2.12
DB-T09LF	2-1/2"	4.556	2.70	2.70	2.70
DB-T10LF	3"	6.705	3.08	3.08	3.08
DB-T11LF	4"	11.353	3.79	3.79	3.79
DB-T12LF	5"	21.700	4.50	4.50	4.50
DB-T13LF	6"	33.660	5.13	5.13	5.13

Part #	Size	Approx. Net WT.	A	B	C
DB-RT0100LF	1/4" X 1/8"	0.117	0.65	0.65	0.60
DB-RT010102LF	1/4" X 1/4" X 3/8"	0.167	0.87	0.87	0.85
DB-RT0200LF	3/8" X 1/8"	0.200	0.73	0.73	0.73
DB-RT020102LF	3/8" X 1/4" X 3/8"	0.189	0.82	0.78	0.82
DB-RT0201LF	3/8" X 1/4"	0.174	0.75	0.75	0.78
DB-RT020203LF	3/8" X 3/8" X 1/2"	0.238	0.90	0.90	0.93
DB-RT0300LF	1/2" X 1/8"	0.234	0.87	0.87	0.87
DB-RT030103LF	1/2" X 1/4" X 1/2"	0.290	0.93	0.87	0.93
DB-RT0301LF	1/2" X 1/4"	0.230	0.87	0.87	0.87
DB-RT030202LF	1/2" X 3/8" X 3/8"	0.249	0.93	0.82	0.90
DB-RT030203LF	1/2" X 3/8" X 1/2"	0.268	1.01	0.90	1.01
DB-RT0302LF	1/2" X 3/8"	0.253	0.93	0.93	0.90
DB-RT030304LF	1/2" X 1/2" X 3/4"	0.380	1.11	1.11	1.08
DB-RT030305LF	1/2" X 1/2" X 1"	0.568	1.31	1.31	1.25
DB-RT0401LF	3/4" X 1/4"	0.346	1.00	1.00	1.00
DB-RT040203LF	3/4" X 3/8" X 1/2"	0.784	1.09	0.87	1.09
DB-RT0402LF	3/4" X 3/8"	0.399	1.00	1.00	1.00
DB-RT040303LF	3/4" X 1/2" X 1/2"	0.401	1.08	1.01	1.11
DB-RT040304LF	3/4" X 1/2" X 3/4"	0.420	1.18	1.11	1.18
DB-RT0403LF	3/4" X 1/2"	0.411	1.08	1.08	1.11
DB-RT040405LF	3/4" X 3/4" X 1"	0.648	1.31	1.31	1.30
DB-RT040407LF	3/4" X 3/4" X 1-1/2"	1.000	1.70	1.70	1.34
DB-RT0501LF	1" X 1/4"	0.685	1.06	1.06	1.15
DB-RT0502LF	1" X 3/8"	0.585	1.12	1.12	1.13
DB-RT050303LF	1" X 1/2" X 1/2"	1.156	1.16	0.93	1.16
DB-RT050304LF	1" X 1/2" X 3/4"	0.450	1.30	1.11	1.31
DB-RT050305LF	1" X 1/2" X 1"	0.510	1.43	1.24	1.43
DB-RT0503LF	1" X 1/2"	0.559	1.20	1.20	1.24
DB-RT050403LF	1" X 3/4" X 1/2"	0.790	1.20	1.08	1.24
DB-RT050404LF	1" X 3/4" X 3/4"	0.463	1.30	1.18	1.31

Lead Free Brass Drop Ear Tee




Part #	Size	Approx. Net WT.	A	B	C	D
DB-DET02LF	3/8"	0.251	0.82	0.53	0.82	0.82

DOMESTIC BRASS FITTINGS - LF

125 lbs.

Lead Free Brass Tee (continued)




Part #	Size	Approx. Net WT.	A	B	C
DB-RT050405LF	1" X 3/4" X 1"	0.575	1.31	1.43	1.43
DB-RT0504LF	1" X 3/4"	0.577	1.30	1.30	1.31
DB-RT050506LF	1" X 1" X 1-1/4"	0.717	1.60	1.60	1.52
DB-RT050507LF	1" X 1" X 1-1/2"	0.964	1.72	1.72	1.55
DB-RT060306LF	1-1/4" X 1/2" X 1-1/4"	1.523	1.69	1.40	1.69
DB-RT0603LF	1-1/4" X 1/2"	0.928	1.29	1.29	1.41
DB-RT060404LF	1-1/4" X 3/4" X 3/4"	0.915	1.45	1.31	1.62
DB-RT060406LF	1-1/4" X 3/4" X 1-1/4"	0.720	1.69	1.48	1.69
DB-RT0604LF	1-1/4" X 3/4"	0.929	1.39	1.39	1.48
DB-RT060503LF	1-1/4" X 1" X 1/2"	1.098	1.31	1.21	1.45
DB-RT060504LF	1-1/4" X 1" X 3/4"	0.775	1.39	1.30	1.48
DB-RT060505LF	1-1/4" X 1" X 1"	0.850	1.52	1.41	1.60
DB-RT060506LF	1-1/4" X 1" X 1-1/4"	0.935	1.69	1.60	1.69
DB-RT0605LF	1-1/4" X 1"	0.908	1.52	1.52	1.60
DB-RT060607LF	1-1/4" X 1-1/4" X 1-1/2"	1.093	1.81	1.81	1.72
DB-RT070307LF	1-1/2" X 1/2" X 1-1/2"	2.667	1.94	1.66	1.94
DB-RT0703LF	1-1/2" X 1/2"	1.472	1.32	1.32	1.53
DB-RT070407LF	1-1/2" X 3/4" X 1-1/2"	1.450	1.84	1.60	1.84
DB-RT0704LF	1-1/2" X 3/4"	1.120	1.42	1.42	1.60
DB-RT070505LF	1-1/2" X 1" X 1"	1.353	1.50	1.65	1.80
DB-RT070506LF	1-1/2" X 1" X 1-1/4"	1.150	1.80	1.53	1.80
DB-RT070507LF	1-1/2" X 1" X 1-1/2"	1.240	1.94	1.80	1.94
DB-RT0705LF	1-1/2" X 1"	1.197	1.55	1.55	1.72
DB-RT070606LF	1-1/2" X 1-1/4" X 1-1/4"	1.547	1.72	1.69	1.81
DB-RT070607LF	1-1/2" X 1-1/4" X 1-1/2"	1.333	1.84	1.81	1.84
DB-RT0706LF	1-1/2" X 1-1/4"	1.348	1.72	1.72	1.81
DB-RT070708LF	1-1/2" X 1-1/2" X 2"	1.450	2.07	2.07	1.89
DB-RT0803LF	2" X 1/2"	2.345	1.49	1.49	1.88
DB-RT080407LF	2" X 3/4" X 1-1/2"	1.830	2.44	2.25	2.25

Part #	Size	Approx. Net WT.	A	B	C
DB-RT080408LF	2" X 3/4" X 2"	1.830	2.12	2.02	2.12
DB-RT0804LF	2" X 3/4"	1.673	1.47	1.47	1.84
DB-RT080508LF	2" X 1" X 2"	2.557	2.12	2.02	2.12
DB-RT0805LF	2" X 1"	1.696	1.59	1.59	1.95
DB-RT080608LF	2" X 1-1/4" X 2"	2.468	2.12	1.94	2.12
DB-RT0806LF	2" X 1-1/4"	1.910	1.77	1.77	2.04
DB-RT080705LF	2" X 1-1/2" X 1"	2.098	1.77	1.39	1.93
DB-RT080706LF	2" X 1-1/2" X 1-1/4"	1.636	1.77	1.62	1.93
DB-RT080707LF	2" X 1-1/2" X 1-1/2"	1.850	1.89	1.84	2.07
DB-RT080708LF	2" X 1-1/2" X 2"	1.960	2.12	2.07	2.12
DB-RT0807LF	2" X 1-1/2"	2.065	1.89	1.89	2.07
DB-RT080809LF	2" X 2" X 2-1/2"	2.112	2.60	2.60	2.39
DB-RT080810LF	2" X 2" X 3"	3.667	2.78	2.78	2.40
DB-RT0904LF	2-1/2" X 3/4"	3.077	1.74	1.74	2.32
DB-RT0905LF	2-1/2" X 1"	2.983	1.87	1.87	2.37
DB-RT0906LF	2-1/2" X 1-1/4"	3.000	2.04	2.04	2.45
DB-RT090709LF	2-1/2" X 1-1/2" X 2-1/2"	3.515	2.70	2.51	2.70
DB-RT0907LF	2-1/2" X 1-1/2"	3.755	2.44	2.44	2.63
DB-RT090808LF	2-1/2" X 2" X 2"	2.829	2.39	2.25	2.60
DB-RT090809LF	2-1/2" X 2" X 2-1/2"	4.180	2.70	2.60	2.70
DB-RT0908LF	2-1/2" X 2"	4.088	2.39	2.39	2.60
DB-RT1005LF	3" X 1"	4.390	2.00	2.00	2.66
DB-RT1007LF	3" X 1-1/2"	5.000	2.29	2.29	2.80
DB-RT100808LF	3" X 2" X 2"	3.403	2.52	2.25	2.89
DB-RT100810LF	3" X 2" X 3"	6.140	3.08	2.89	3.08
DB-RT1008LF	3" X 2"	5.545	2.52	2.52	2.89
DB-RT100909LF	3" X 2-1/2" X 2-1/2"	5.970	2.70	2.83	2.99
DB-RT1009LF	3" X 2-1/2"	6.450	2.83	2.83	2.99
DB-RT1108LF	4" X 2"	8.000	2.74	2.74	3.41

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Street Tee




Part #	Size	Approx. Net WT.	A	B	C
DB-ST02LF	3/8"	0.2151	0.82	1.24	0.82
DB-ST03LF	1/2"	0.2700	1.01	1.48	1.01
DB-ST04LF	3/4"	0.4587	1.18	1.65	1.18
DB-ST05LF	1"	0.7900	1.43	1.98	1.43
DB-ST06LF	1-1/4"	1.3400	1.69	2.24	1.69
DB-ST08LF	2"	2.5600	2.12	2.88	2.12

Lead Free Brass Cap



Part #	Size	Approx. Net WT.	A
DB-CA00LF	1/8"	0.035	0.49
DB-CA01LF	1/4"	0.055	0.59
DB-CA02LF	3/8"	0.083	0.64
DB-CA03LF	1/2"	0.114	0.76
DB-CA04LF	3/4"	0.190	0.84
DB-CA05LF	1"	0.313	0.99
DB-CA06LF	1-1/4"	0.510	1.10
DB-CA07LF	1-1/2"	0.734	1.15
DB-CA08LF	2"	1.147	1.32
DB-CA09LF	2-1/2"	1.850	1.70
DB-CA10LF	3"	2.945	1.80
DB-CA11LF	4"	5.488	2.08

Lead Free Brass Cross




Part #	Size	Approx. Net WT.	A	B
DB-CR00LF	1/8"	0.114	0.54	0.54
DB-CR01LF	1/4"	0.163	0.71	0.71
DB-CR02LF	3/8"	0.253	0.82	0.82
DB-CR03LF	1/2"	0.363	1.01	1.01
DB-CR0403LF	3/4" X 1/2"	0.466	1.08	1.11
DB-CR04LF	3/4"	0.568	1.18	1.18
DB-CR05LF	1"	0.949	1.43	1.43
DB-CR0604LF	1-1/4" X 3/4"	0.870	1.48	1.39
DB-CR06LF	1-1/4"	1.531	1.69	1.69
DB-CR07LF	1-1/2"	1.943	1.84	1.84
DB-CR08LF	2"	2.950	2.12	2.12
DB-CR09LF	2-1/2"	6.050	2.70	2.70
DB-CR10LF	3"	8.251	3.08	3.08
DB-CR11LF	4"	16.645	3.79	3.79

DOMESTIC BRASS FITTINGS - LF

125 lbs.

Lead Free Brass Bushing



Part #	Size	Approx. Net WT.	A	B	C
DB-BU0100LF	1/4" X 1/8"	0.022	0.59	0.44	0.66*
DB-BU0200LF	3/8" X 1/8"	0.048	0.66	0.50	0.69*
DB-BU0201LF	3/8" X 1/4"	0.033	0.66	0.50	0.69*
DB-BU0300LF	1/2" X 1/8"	0.099	0.75	0.59	0.88*
DB-BU0301LF	1/2" X 1/4"	0.081	0.75	0.59	0.88*
DB-BU0302LF	1/2" X 3/8"	0.054	0.75	0.59	0.88*
DB-BU0400LF	3/4" X 1/8"	0.208	0.88	0.63	1.16*
DB-BU0401LF	3/4" X 1/4"	0.194	0.88	0.63	1.16*
DB-BU0402LF	3/4" X 3/8"	0.154	0.88	0.63	1.16*
DB-BU0403LF	3/4" X 1/2"	0.108	0.88	0.63	1.16*
DB-BU0500LF	1" X 1/8"	0.208	1.10	0.75	1.12
DB-BU0501LF	1" X 1/4"	0.247	1.10	0.75	1.12
DB-BU0502LF	1" X 3/8"	0.228	1.00	0.75	1.12
DB-BU0503LF	1" X 1/2"	0.264	1.00	0.75	1.42
DB-BU0504LF	1" X 3/4"	0.207	1.00	0.75	1.42
DB-BU0602LF	1-1/4" X 3/8"	0.325	1.14	0.80	1.12
DB-BU0603LF	1-1/4" X 1/2"	0.374	1.14	0.80	1.34
DB-BU0604LF	1-1/4" X 3/4"	0.434	1.10	0.80	1.76
DB-BU0605LF	1-1/4" X 1"	0.348	1.10	0.80	1.76
DB-BU0701LF	1-1/2" X 1/4"	0.905	1.20	0.83	1.40
DB-BU0702LF	1-1/2" X 3/8"	0.450	1.20	0.83	1.13
DB-BU0703LF	1-1/2" X 1/2"	0.450	1.20	0.83	1.34
DB-BU0704LF	1-1/2" X 3/4"	0.416	1.20	0.83	1.63
DB-BU0705LF	1-1/2" X 1"	0.479	1.16	0.83	2.00
DB-BU0706LF	1-1/2" X 1-1/4"	0.500	1.16	0.83	2.00


Part #	Size	Approx. Net WT.	A	B	C
DB-BU0801LF	2" X 1/4"	1.253	1.20	0.88	1.13
DB-BU0803LF	2" X 1/2"	0.663	1.29	0.88	1.34
DB-BU0804LF	2" X 3/4"	0.621	1.29	0.88	1.63
DB-BU0805LF	2" X 1"	0.763	1.29	0.88	1.95
DB-BU0806LF	2" X 1-1/4"	0.648	1.24	0.88	2.48
DB-BU0807LF	2" X 1-1/2"	0.880	1.24	0.88	2.48
DB-BU0903LF	2-1/2" X 1/2"	1.900	1.55	1.07	1.97
DB-BU0905LF	2-1/2" X 1"	1.400	1.51	1.07	1.95
DB-BU0906LF	2-1/2" X 1-1/4"	1.218	1.51	1.07	2.39
DB-BU0907LF	2-1/2" X 1-1/2"	1.053	1.51	1.07	2.68
DB-BU0908LF	2-1/2" X 2"	1.218	1.44	1.07	2.98
DB-BU1005LF	3" X 1"	2.207	1.57	1.13	1.95
DB-BU1006LF	3" X 1-1/4"	1.520	1.61	1.13	2.39
DB-BU1007LF	3" X 1/2"	1.611	1.61	1.13	2.68
DB-BU1008LF	3" X 2"	1.600	1.61	1.13	3.28
DB-BU1009LF	3" X 2-1/2"	2.108	1.55	1.13	3.86
DB-BU10510LF	3-1/2" X 3"	2.240	1.69	1.13	4.24
DB-BU1105LF	4" X 1"	4.800	1.66	1.22	2.80
DB-BU1107LF	4" X 1-1/2"	2.680	1.66	1.22	2.80
DB-BU1108LF	4" X 2"	2.829	1.82	1.22	3.28
DB-BU1109LF	4" X 2-1/2"	3.100	1.82	1.22	3.86
DB-BU1110LF	4" X 3"	3.100	1.72	1.22	4.62
DB-BU11105LF	4" X 3-1/2"	3.100	1.74	1.22	4.63

*Furnished in bar-stock

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Plug




Part #	Size	Approx. Net WT.	A
DB-PL03LF	1/2"	0.088	0.92
DB-PL04LF	3/4"	0.120	0.99
DB-PL05LF	1"	0.262	1.19
DB-PL06LF	1-1/4"	0.366	1.27
DB-PL07LF	1-1/2"	0.429	1.35
DB-PL08LF	2"	0.636	1.44
DB-PL09LF	2-1/2"	1.013	1.81
DB-PL105LF	3-1/2"	1.450	1.93
DB-PL10LF	3"	2.350	2.06
DB-PL11LF	4"	2.668	2.14
DB-PL13LF	6"	7.695	2.51

Lead Free Brass Plug - Solid



Part #	Size	Approx. Net WT.	A
DB-PLS02LF	3/8"	0.056	0.72
DB-PLS03LF	1/2"	0.109	0.92
DB-PLS04LF	3/4"	0.178	0.99
DB-PLS05LF	1"	0.361	1.19
DB-PLS06LF	1-1/4"	0.586	1.27
DB-PLS07LF	1-1/2"	0.812	1.35
DB-PLS08LF	2"	1.343	1.44
DB-PLS09LF	2-1/2"	2.367	1.81
DB-PLS10LF	3"	3.738	1.93
DB-PLS11LF	4"	7.010	2.14

Lead Free Brass Countersunk Plug




Part #	Size	Approx. Net WT.	A
DB-CSP03LF	1/2"	0.056	0.54
DB-CSP04LF	3/4"	0.095	0.55
DB-CSP05LF	1"	0.205	0.69
DB-CSP06LF	1-1/4"	0.336	0.71
DB-CSP07LF	1-1/2"	0.484	0.73
DB-CSP08LF	2"	0.780	0.76
DB-CSP09LF	2-1/2"	1.634	1.07
DB-CSP10LF	3"	2.513	1.13
DB-CSP11LF	4"	2.830	1.22
DB-CSP13LF	6"	12.230	1.40

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Union




Part #	Size	Approx. Net WT.	A
DB-UN01LF	1/4"	0.150	1.44
DB-UN02LF	3/8"	0.450	1.63
DB-UN03LF	1/2"	0.400	1.81
DB-UN04LF	3/4"	0.750	2.00
DB-UN05LF	1"	1.150	2.19
DB-UN06LF	1-1/4"	1.425	2.44
DB-UN07LF	1-1/2"	2.020	2.63
DB-UN08LF	2"	3.140	2.94

Lead Free Brass Drop Ear Elbow




Part #	Size	Approx. Net WT.	A	B	C
DB-DEL9001LF	1/4"	0.128	0.72	0.72	0.44
DB-DEL9002LF	3/8"	0.247	0.82	0.82	0.63
DB-DEL9003LF	1/2"	0.369	1.01	1.01	0.63

Lead Free Brass Extensions Piece



Part #	Size	Approx. Net WT.	A
DB-X03LF	1/2"	0.175	1.49
DB-X04LF	3/4"	0.238	1.74
DB-X05LF	1"	0.484	2.18
DB-X06LF	1-1/4"	0.590	2.02
DB-X07LF	1-1/2"	0.850	2.12
DB-X08LF	2"	1.200	2.30

Lead Free Brass Lateral Y-Branch




Part #	Size	Approx. Net WT.	A	B
DB-Y02LF	3/8"	0.230	1.78	1.28
DB-Y03LF	1/2"	0.302	2.19	1.58
DB-Y04LF	3/4"	0.647	2.62	1.90
DB-Y05LF	1"	0.973	3.18	2.33
DB-Y06LF	1-1/4"	1.717	3.85	2.83
DB-Y07LF	1-1/2"	2.201	4.24	3.14
DB-Y08LF	2"	3.197	5.00	3.76
DB-Y09LF	2-1/2"	6.390	6.25	4.73
DB-Y10LF	3"	10.190	7.26	5.55

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Brass Locknut




Part #	Size	Approx. Net WT.	A	B
DB-LN00LF	1/8"	0.041	0.88	0.25
DB-LN01LF	1/4"	0.035	0.88	0.25
DB-LN02LF	3/8"	0.034	1.00	0.28
DB-LN03LF	1/2"	0.069	1.28	0.27
DB-LN04LF	3/4"	0.081	1.50	0.28
DB-LN05LF	1"	0.112	1.75	0.34
DB-LN06LF	1-1/4"	0.171	2.09	0.38
DB-LN07LF	1-1/2"	0.275	2.44	0.40
DB-LN08LF	2"	0.385	2.94	0.47
DB-LN09LF	2-1/2"	1.023	3.75	0.56
DB-LN10LF	3"	1.109	4.25	0.63
DB-LN11LF	4"	2.241	5.38	0.81

Lead Free Bronze Blind Flange - 150#



Part #	Size	Approx. Net WT.	A	B	C	D	E
DB-CFB08LF	2"	4.133	6.00	4.75	4	0.75	0.50
DB-CFB09LF	2-1/2"	7.080	7.00	5.50	4	0.75	0.56
DB-CFB10LF	3"	8.940	7.50	6.00	4	0.75	0.63
DB-CFB11LF	4"	13.970	9.00	7.50	8	0.75	0.69
DB-CFB12LF	5"	18.010	10.00	8.50	8	0.88	0.75
DB-CFB13LF	6"	25.167	11.00	9.50	8	0.88	0.81

Lead Free Brass Floor Flange




Part #	Size	Approx. Net WT.	A	B
DB-FF01LF	1/4"	0.100	2.47	0.36
DB-FF02LF	3/8"	0.219	2.67	0.47
DB-FF03LF	1/2"	0.341	3.00	0.50
DB-FF04LF	3/4"	0.405	3.25	0.55
DB-FF05LF	1"	0.834	3.72	0.78
DB-FF06LF	1-1/4"	1.053	4.00	0.75
DB-FF07LF	1-1/2"	1.491	4.38	0.92
DB-FF08LF	2"	2.050	5.09	0.98

DOMESTIC BRASS FITTINGS - LF


125 lbs.

Lead Free Bronze Companion Flange – Threaded 150#




Part #	Size	Approx. Net WT.	A	B	C	D	E	F
DB-CF03LF	1/2"	0.970	3.50	2.38	0.59	0.63	0.31	4
DB-CF04LF	3/4"	1.360	3.88	2.75	0.63	0.63	0.34	4
DB-CF05LF	1"	1.780	4.25	3.12	0.69	0.63	0.38	4
DB-CF06LF	1-1/4"	2.110	4.63	3.50	0.81	0.63	0.41	4
DB-CF07LF	1-1/2"	2.860	5.00	3.88	0.88	0.63	0.44	4
DB-CF08LF	2"	4.304	6.00	4.75	1.00	0.75	0.50	4
DB-CF09LF	2-1/2"	6.720	7.00	5.50	1.12	0.75	0.56	4
DB-CF10LF	3"	8.535	7.50	6.00	1.19	0.75	0.63	4
DB-CF11LF	4"	12.410	9.00	7.50	1.31	0.75	0.69	8
DB-CF12LF	5"	13.830	10.00	8.50	1.44	0.88	0.75	8
DB-CF13LF	6"	18.200	11.00	9.50	1.56	0.88	0.81	8

Lead Free Brass Companion Flange - Sweat



Part #	Size	Approx. Net WT.	A	B	C	OD of Tubing	# of Bolt Holes	Hole Size
DB-CFCL04LF	3/4"	0.86	3.88	0.19	2.75	7/8	4	5/8
DB-CFCL05LF	1"	1.03	4.25	0.19	3.12	1-1/8	4	5/8
DB-CFCL06LF	1-1/4"	1.19	4.62	0.19	3.50	1-3/8	4	5/8
DB-CFCL07LF	1-1/2"	1.80	5.00	0.25	3.88	1-5/8	4	5/8
DB-CFCL08LF	2"	2.86	6.00	0.33	4.75	2-1/8	4	3/4
DB-CFCL09LF	2-1/2"	3.87	7.00	0.33	5.50	2-5/8	4	3/4
DB-CFCL10LF	3"	5.18	7.50	0.40	6.00	3-1/8	4	3/4
DB-CFCL11LF	4"	7.44	9.00	0.40	7.50	4-1/8	8	3/4
DB-CFCL12LF	5"	9.48	10.00	0.40	8.50	5-1/8	8	7/8
DB-CFCL13LF	6"	12.64	11.00	0.40	9.50	6-1/8	8	7/8
DB-CFCL14LF	8"	27.76	13.50	0.52	11.75	8-1/8	8	7/8

Lead Free Brass Companion Flange - Sweat 150#




Part #	Size	Approx. Net WT.	A	B	C	OD of Tubing	# of Bolt Holes	Hole Size
DB-CFCH03LF	1/2"	0.89	3.50	0.31	2.38	5/8	4	5/8
DB-CFCH04LF	3/4"	1.19	3.88	0.34	2.75	7/8	4	5/8
DB-CFCH05LF	1"	1.77	4.25	0.38	3.12	1-1/8	4	5/8
DB-CFCH06LF	1-1/4"	2.01	4.62	0.41	3.50	1-3/8	4	5/8
DB-CFCH07LF	1-1/2"	2.66	5.00	0.44	3.88	1-5/8	4	5/8
DB-CFCH08LF	2"	4.24	6.00	0.52	4.75	2-1/8	4	3/4
DB-CFCH09LF	2-1/2"	6.28	7.00	0.58	5.50	2-5/8	4	3/4
DB-CFCH10LF	3"	7.73	7.50	0.64	6.00	3-1/8	4	3/4
DB-CFCH11LF	4"	12.14	9.00	0.71	7.50	4-1/8	8	3/4
DB-CFCH12LF	5"	15.65	10.00	0.77	8.50	5-1/8	8	7/8
DB-CFCH13LF	6"	20.48	11.00	0.83	9.50	6-1/8	8	7/8
DB-CFCH14LF	8"	39.30	13.50	0.96	11.75	8-1/8	8	7/8

DOMESTIC BRASS FITTINGS


125 lbs.

Brass Cleanout Countersunk Plug - Southern




Part #	Size	Approx. Net WT.	A	B	C
DB-CPCS05	1"	0.13	7/16	9/16	5/16
DB-CPCS06	1-1/4"	0.21	13/32	5/8	5/16
DB-CPCS07	1-1/2"	0.19	3/8	11/16	5/16
DB-CPCS08	2"	0.26	7/16	3/4	5/16
DB-CPCS09	2-1/2"	0.32	7/16	3/4	5/16
DB-CPCS10	3"	0.46	15/32	7/8	5/16
DB-CPCS105	3-1/2"	0.77	1/2	15/16	3/4
DB-CPCS11	4"	0.95	1/2	7/8	3/8
DB-CPCS115	4-1/2"	0.97	1/2	7/8	3/8
DB-CPCS12	5"	1.72	1/2	1-1/8	3/8
DB-CPCS125	5-1/2"	1.75	17/32	1	7/16
DB-CPCS13	6"	2.06	5/8	1-7/16	1/2
DB-CPCS14	8"	4.78	11/16	1-7/16	9/16

Brass Cleanout Plug - Southern



Part #	Size	Approx. Net WT.	A	B	C
DB-CPS05	1"	0.09	9/16	5/16	7/16
DB-CPS06	1-1/4"	0.12	11/16	5/16	13/32
DB-CPS07	1-1/2"	0.18	3/4	5/16	3/8
DB-CPS08	2"	0.26	15/16	5/16	7/16
DB-CPS09	2-1/2"	0.37	1	5/16	7/16
DB-CPS10	3"	0.49	1-1/8	7/16	15/32
DB-CPS105	3-1/2"	0.62	1-1/8	3/8	1/2
DB-CPS11	4"	0.97	1-3/32	3/8	1/2
DB-CPS115	4-1/2"	1.05	1-1/8	3/8	1/2
DB-CPS12	5"	1.40	1-3/8	7/16	1/2
DB-CPS125	5-1/2"	1.81	1-3/8	1/2	5/8
DB-CPS13	6"	2.27	1-3/8	1/2	5/8
DB-CPS14	8"	3.58	1-3/8	1/2	11/16

Brass Cleanout Plug - Ohio




Part #	Size	Approx. Net WT.	A	B	C
DB-CPO07	1-1/2"	0.40	1	1	5/8
DB-CPO08	2"	0.43	1-1/4	1	3/4
DB-CPO09	2-1/2"	0.49	1-3/8	1	3/4
DB-CPO10	3"	0.67	1-3/8	1	3/4
DB-CPO11	4"	1.27	1-3/8	1	3/4
DB-CPO12	5"	1.34	1-1/2	1	3/4
DB-CPO14	8"	3.95	1-3/4	1	3/4
DB-CPO15	10"	9.93	2-7/16	1	1-1/8

DOMESTIC BRASS FITTINGS


125 lbs.

Brass Companion Flange - Sweat



Part #	Size	Approx. Net WT.	A	B	C	OD of Tubing	# of Bolt Holes	Hole Size
DB-CFCL04	3/4"	0.67	3.88	0.19	2.75	7/8	4	5/8
DB-CFCL05	1"	1.08	4.25	0.19	3.12	1 1/8	4	5/8
DB-CFCL06	1-1/4"	1.11	4.62	0.19	3.50	1 3/8	4	5/8
DB-CFCL07	1-1/2"	1.77	5.00	0.25	3.88	1 5/8	4	5/8
DB-CFCL08	2"	2.94	6.00	0.33	4.75	2 1/8	4	3/4
DB-CFCL09	2-1/2"	4.07	7.00	0.33	5.50	2 5/8	4	3/4
DB-CFCL10	3"	5.18	7.50	0.40	6.00	3 1/8	4	3/4
DB-CFCL11	4"	7.56	9.00	0.40	7.50	4 1/8	8	3/4
DB-CFCL12	5"	9.48	10.00	0.40	8.50	5 1/8	8	7/8
DB-CFCL13	6"	13.67	11.00	0.40	9.50	6 1/8	8	7/8
DB-CFCL14	8"	26.95	13.5	0.52	11.75	8 1/8	8	7/8

Brass Companion Flange - Sweat 150#




Part #	Size	Approx. Net WT.	A	B	C	OD of Tubing	# of Bolt Holes	Hole Size
DB-CFCH03	1/2"	0.93	3.50	0.31	2.38	5/8	4	5/8
DB-CFCH04	3/4"	1.19	3.88	0.34	2.75	7/8	4	5/8
DB-CFCH05	1"	1.69	4.250	.38	3.12	1 1/8	4	5/8
DB-CFCH06	1-1/4"	2.08	4.62	0.41	3.50	1 3/8	4	5/8
DB-CFCH07	1-1/2"	2.76	5.00	0.44	3.88	1 5/8	4	5/8
DB-CFCH08	2"	4.12	6.00	0.52	4.75	2 1/8	4	3/4
DB-CFCH09	2-1/2"	6.27	7.00	0.58	5.50	2 5/8	4	3/4
DB-CFCH10	3"	7.76	7.50	0.64	6.00	3 1/8	4	3/4
DB-CFCH11	4"	11.86	9.00	0.71	7.50	4 1/8	8	3/4
DB-CFCH12	5"	17.77	10.00	0.77	8.50	5 1/8	8	7/8
DB-CFCH13	6"	19.90	11.00	0.83	9.50	6 1/8	8	7/8
DB-CFCH14	8"	39.30	13.50	0.96	11.75	8 1/8	8	7/8

DOMESTIC BRASS FITTINGS - XH


250 lbs.

Lead Free XH Brass Elbow 90




Part #	Size	Approx. Net WT.	A	B
DB-LX9001LF	1/4"	0.167	0.81	0.81
DB-LX9002LF	3/8"	0.291	0.95	0.95
DB-LX9003LF	1/2"	0.474	1.12	1.12
DB-LX9004LF	3/4"	0.670	1.31	1.31
DB-LX9005LF	1"	1.312	1.50	1.50
DB-LX9006LF	1-1/4"	1.812	1.75	1.75
DB-LX9007LF	1-1/2"	2.595	1.94	1.94
DB-LX9008LF	2"	3.536	2.25	2.25
DB-LX9009LF	2-1/2"	5.575	2.70	2.70
DB-LX9010LF	3"	8.200	3.08	3.08

Lead Free Brass XH Street Elbow 90




Part #	Size	Approx. Net WT.	A	B
DB-LSTX9005LF	1"	0.849	1.43	1.98
DB-LSTX9007LF	1-1/2"	2.100	1.84	2.46

Lead Free XH Brass Elbow 45



Part #	Size	Approx. Net WT.	A	B
DB-LX4503LF	1/2"	0.400	0.88	0.88
DB-LX4504LF	3/4"	0.611	0.98	0.98
DB-LX4505LF	1"	0.959	1.12	1.12
DB-LX4506LF	1-1/4"	1.540	1.29	1.29
DB-LX4507LF	1-1/2"	2.104	1.43	1.43
DB-LX4508LF	2"	3.205	1.68	1.68
DB-LX4509LF	2-1/2"	5.000	1.95	1.95
DB-LX4510LF	3"	7.25	2.17	2.17

Lead Free XH Brass Cap




Part #	Size	Approx. Net WT.	A
DB-CAX03LF	1/2"	0.226	0.76
DB-CAX04LF	3/4"	0.373	0.84
DB-CAX05LF	1"	0.600	0.99
DB-CAX06LF	1-1/4"	1.050	1.10
DB-CAX07LF	1-1/2"	1.240	1.15
DB-CAX08LF	2"	2.093	1.32

DOMESTIC BRASS FITTINGS - XH


250 lbs.

Lead Free XH Brass Coupling




Part #	Size	Approx. Net WT.	A
DB-CPX01LF	1/4"	0.146	1.06
DB-CPX02LF	3/8"	0.241	1.16
DB-CPX03LF	1/2"	0.359	1.34
DB-CPX04LF	3/4"	0.573	1.52
DB-CPX05LF	1"	0.912	1.67
DB-CPX06LF	1-1/4"	1.370	1.93
DB-CPX07LF	1-1/2"	1.795	2.15
DB-CPX08LF	2"	2.756	2.53
DB-CPX09LF	2-1/2"	4.100	2.88

Lead Free XH Brass Reducing Coupling




Part #	Size	Approx. Net WT.	A
DB-RCX0403LF	3/4" X 1/2"	0.705	1.70
DB-RCX0503LF	1" X 1/2"	0.750	2.00
DB-RCX0504LF	1" X 3/4"	0.705	1.70
DB-RCX0605LF	1-1/4" X 1"	1.218	2.13
DB-RCX0705LF	1-1/2" X 1"	1.450	2.25
DB-RCX0706LF	1-1/2" X 1-1/4"	1.674	2.25
DB-RCX0807LF	2" X 1-1/2"	2.300	2.32
DB-RCX0908LF	2-1/2" X 2"	3.417	2.63

Lead Free XH Brass Tee



Part #	Size	Approx. Net WT.	A	B	C
DB-TX01LF	1/4"	0.209	0.81	0.81	0.81
DB-TX02LF	3/8"	0.354	0.95	0.95	0.95
DB-TX03LF	1/2"	0.640	1.12	1.12	1.12
DB-TX04LF	3/4"	1.048	1.31	1.31	1.31
DB-TX05LF	1"	1.556	1.50	1.50	1.50
DB-TX06LF	1-1/4"	2.432	1.75	1.75	1.75
DB-TX07LF	1-1/2"	3.150	1.94	1.94	1.94
DB-TX08LF	2"	5.050	2.25	2.25	2.25
DB-TX09LF	2-1/2"	7.550	2.70	2.70	2.70
DB-TX11LF	4"	19.000	3.79	3.79	3.79

Lead Free XH Brass Reducing Tee




Part #	Size	Approx. Net WT.	A	B	C
DB-TRX0301LF	1/2" X 1/4"	0.510	0.87	0.87	0.87
DB-TRX050305LF	1" X 1/2" X 1"	1.065	1.50	1.38	1.50
DB-TRX0503LF	1" X 1/2"	1.155	1.26	1.26	1.36
DB-TRX0504LF	1" X 3/4"	1.300	1.37	1.37	1.45
DB-TRX0603LF	1-1/4" X 1/2"	1.631	1.33	1.33	1.53

DOMESTIC BRASS FITTINGS - XH


250 lbs.

Lead Free XH Brass Union




Part #	Size	Approx. Net WT.	A
DB-XUN03LF	1/2"	0.660	2.00
DB-XUN04LF	3/4"	1.050	2.13
DB-XUN05LF	1"	1.650	2.44
DB-XUN06LF	1-1/4"	2.356	2.69
DB-XUN07LF	1-1/2"	2.950	2.81
DB-XUN08LF	2"	3.950	3.18

Lead Free XH Brass Union Elbow




Part #	Size	Approx. Net WT.	A	B
DB-XUNL03LF	1/2"	0.850	1.13	2.31
DB-XUNL04LF	3/4"	1.550	1.31	2.56
DB-XUNL05LF	1"	1.950	1.50	2.94
DB-XUNL06LF	1-1/4"	2.950	2.04	3.70
DB-XUNL07LF	1-1/2"	3.900	1.94	3.62
DB-XUNL08LF	2"	5.200	2.25	4.12

Lead Free XH Brass Cross



Part #	Size	Approx. Net WT.	A	B
DB-CRX03LF	1/2"	0.711	1.12	1.12
DB-CRX04LF	3/4"	1.236	1.31	1.31
DB-CRX05LF	1"	1.950	1.50	1.50
DB-CRX06LF	1-1/4"	2.920	1.75	1.75
DB-CRX07LF	1-1/2"	4.060	1.94	1.94
DB-CRX08LF	2"	5.750	2.25	2.25

Lead Free Bronze Companion Flange – Threaded 300#



Part #	Size	Approx. Net WT.	A	B	C	D	E	F
DB-CFX07LF	1-1/2"	6.160	6.12	4.50	0.88	0.88	0.69	4
DB-CFX08LF	2"	6.550	6.50	5.00	1.00	0.75	0.78	8
DB-CFX09LF	2-1/2"	8.640	7.50	5.88	1.12	0.88	0.81	8
DB-CFX10LF	3"	12.660	8.25	6.63	1.19	0.88	0.90	8
DB-CFX11LF	4"	20.441	10.00	7.88	1.31	0.88	1.09	8