

SST(M) Braided Closet Connector

Specification Sheet



FEATURES & BENEFITS

- 3/8" Compression x 7/8" Ballcock
- With Chrome Brass Nuts
- cUPC Certified

SST-09M - 9" Long


SST-12M - 12" Long

SST-16M - 16" Long

SST-20M - 20" Long

MATERIAL SPECIFICATIONS

No.	Part	Material
1	Insert	CW617N
2	Washer	EPDM
3	Nut	HPb57-3
4	Ferrule	Stainless Steel 304
5	Hose	Stainless Steel 304 Braiding PVC Inner Tube
6	Washer	EPDM
7	Nut	HPb57-3
8	Washer	EPDM



SST039M Braided Closet Connector

Specification Sheet




FEATURES & BENEFITS

- 1/2" Compression x 7/8" Ballcock
- With Chrome Brass Nuts
- cUPC Certified

SST-039M - 9" Long

MATERIAL SPECIFICATIONS

No.	Part	Material
1	Core	Brass CW617N
2	Washer	EPDM
3	Nut	Brass HPb59-3
4	Ferrule	PVC/Stainless Steel 304
5	Braided Hose	Stainless Steel 304
6	Washer	EPDM
7	Nut	Brass HPb57-3



MATCO
NORCA

SST(P) Braided Closet Connector

Specification Sheet




FEATURES & BENEFITS

- 3/8" Compression x 7/8" Ballcock
- With Chrome Plastic Nuts
- cUPC Certified

SST-09P - 9" Long
SST-12P - 12" Long
SST-16P - 16" Long

MATERIAL SPECIFICATIONS

No.	Part	Material
1	Insert	CW617N
2	Washer	EPDM
3	Nut	HPb57-3
4	Ferrule	Stainless Steel 304
5	Hose	Stainless Steel 304 Braiding PVC Inner Tube
6	Insert	CW617N
7	Washer	EPDM
8	Plastic Nut	PP+30% Glass Fibre



MATCO
NORCA