


Clampette
Inc.



Clampette Products

 **MATCO-NORCA**
Global sourcing. National compliance. Local service.

NEW YORK • TEXAS • CALIFORNIA

Standing For Quality For Over 45 Years



Clampette is a major United States manufacturer of stainless steel pipe repair products. We take great pride in the manufacturing and distribution of high quality clamps and have been doing so since 1957.

Clampette repair products are used internationally by municipalities, state and federal entities, plumbing, hardware, industrial and water works distributors, oil field maintenance, irrigation, ship chandlers, apartment maintenance supply and anyone in need of a quality emergency repair.



THE #330 PATCH CLAMP:

- ❖ Available for iron pipe size, copper tube size and actual outside diameter size.
- ❖ No loose parts.
- ❖ Can be installed with one hand.
- ❖ Rounded corners with sheared edges turned down, eliminating the danger of small cuts or nicks during installation.
- ❖ A long carriage bolt with an extra large shoulder that prevents the bolt from spinning during installation.
- ❖ A double chamfered oversized nut that allows easy hand tightening.
- ❖ We have the finest packaging in the industry utilizing die cut boxes that are quadruple thick, eliminating all possibility of damaging clamps both in shipping and in your inventory.



THE #331 FULL WRAP CLAMP:

- ❖ Available for nominal pipe sizes through 30". Larger sizes are available upon request.
- ❖ Nylon washers added to eliminate any damage to the clamp during installation.
- ❖ Teflon coated 304 stainless steel nut to prevent galling.



MALLEABLE COMPRESSION FITTINGS:

Clampette's complete line of high quality imported compression couplings can be found on pages 11 through 13 of this catalog. This includes straight couplings, male & female adapters, tees and elbows. Of course, Clampette carries all parts for each size in the line.



For [brass](#) and [PVC compression couplings](#) previously found in our catalog please see the latest Matco-Norca Inc. catalog, part numbers 450L and 400. For [brass](#) and [PVC compression tees](#) previously found in our catalog, please see the latest Matco-Norca Inc. catalog, part numbers 450 and 410.



Patch Clamp



330 PATCH CLAMP

AVAILABLE IN 3", 6", 9" AND 12" LENGTHS.

BAND: Stainless Steel - Type #304.

LUGS: Malleable Iron - Electro Galvanized with Dichromate finish.

BOLTS: Carbon Steel - Electro Galvanized with Dichromate finish.

NUTS: Carbon Steel - Electro Galvanized with Dichromate finish.

WASHERS: SAE Flat Washer - Zinc II plated
Meets specifications of ASTM-F844.

GASKET: Gridded Nitrile Buna Rubber is especially resistant to aromatic hydrocarbons, gasoline, petroleum oils, mineral oils, vegetable oils and natural gas.

TEMPERATURE RATING:
-40 degrees F to 212 degrees F.

PRESSURE RATING:
150 PSI (based on city water pressure).

ADVANTAGES:

CLAMPS: Pre-formed with the gasket glued in place, to allow for easier "one hand" installation.

STAINLESS STEEL BLANKS: Double split so that edges on both sides of clamp turn under. There are no sharp edges after forming which could cut a hand. The blanks are punched with a "D" shaped hole instead of a "round" hole which prevents the lug from being ripped out of the blank.

LUGS: Cadmium plated malleable iron to protect against rust and corrosion.

BOLTS: Have an extra long, square shank. Normal bolts have a slightly rounded shank that allows the bolt to turn, resulting in frustration when trying to tighten the clamp enough to seal a leak.

NUTS: Oversized, allowing easy "one-hand" installation.

PACKAGING: Packed in a quadruple thick, fold-up box that prevents damage (see back cover page).

SHIPPING: Clamps are shipped completely assembled with a "window" lug that prevents the need to remove any part of the clamp during installation.

MADE IN USA: For faster service, higher quality and the ability to react to special customer needs.

CROSS-REFERENCE CHART

Clampette	Smith-Blair	JCM	Ford	Romac	Power Seal
#330 Patch Clamp	#245	#110	FSC	SC	#3151

IPS Patch Clamps

330

IPS PATCH CLAMP

**3" Wide – 1 Bolt
For IPS Pipe**



Model Number	Pipe Size	Carton Quantities		Weight per 100 pieces
		Inner	Master	
330-023	3/8"	6	24	54
330-033	1/2"	6	24	56
330-043	3/4"	6	24	57
330-053	1"	6	24	60
330-063	1-1/4"	6	24	61
330-073	1-1/2"	6	24	63
330-083	2"	4	16	105
330-093	2-1/2"	4	16	108
330-103	3"	4	16	111
330-1053	3-1/2"	2	8	133
330-113	4"	2	8	139
330-123	5"	2	-	141
330-133	6"	2	-	142
330-1353	7"	2	-	144
330-143	8"	2	-	148

Below Clamps Are 2-Band Clamps

330-153	10"	2	-	256
330-163	12"	2	-	268
330-173	14"	2	-	-
330-183	16"	2	-	-
330-193	18"	2	-	-
330-203	20"	2	-	-
330-243	24"	2	-	-

330

IPS PATCH CLAMP

**6" Wide – 2 Bolt
For IPS Pipe**



330-026	3/8"	3	12	107
330-036	1/2"	3	12	112
330-046	3/4"	3	12	115
330-056	1"	3	12	118
330-066	1-1/4"	3	12	120
330-076	1-1/2"	3	12	130
330-086	2"	2	8	207
330-096	2-1/2"	2	8	214
330-106	3"	2	8	242
330-1056	3-1/2"	1	4	270
330-116	4"	1	4	274
330-126	5"	1	-	280
330-136	6"	1	-	285
330-1356	7"	1	-	292
330-146	8"	1	-	298

Below Clamps Are 2-Band Clamps

330-156	10"	1	-	507
330-166	12"	1	-	563
330-176	14"	1	-	-
330-186	16"	1	-	-
330-196	18"	1	-	-
330-206	20"	1	-	-
330-246	24"	1	-	-

IPS Patch Clamps

330

IPS PATCH CLAMP

**9" Wide – 3 Bolt
For IPS Pipe**



Model Number	Pipe Size	Carton Quantities		Weight per 100 pieces
		Inner	Master	
330-029	3/8"	4	-	165
330-039	1/2"	4	-	167
330-049	3/4"	4	-	173
330-059	1"	4	-	174
330-069	1-1/4"	4	-	190
330-079	1-1/2"	3	-	206
330-089	2"	3	-	333
330-099	2-1/2"	1	-	393
330-109	3"	1	-	396
330-1059	3-1/2"	1	-	401
330-119	4"	1	-	417
330-129	5"	1	-	423
330-139	6"	1	-	440
330-1359	7"	1	-	446
330-149	8"	1	-	481
Below Clamps Are 2-Band Clamp				
330-159	10"	1	-	790
330-169	12"	1	-	856
330-179	14"	1	-	-
330-189	16"	1	-	-
330-199	18"	1	-	-
330-209	20"	1	-	-

330

IPS PATCH CLAMP

**12" Wide – 4 Bolt
For IPS Pipe**



330-0212	3/8"	4	-	221
330-0312	1/2"	4	-	222
330-0412	3/4"	4	-	227
330-0512	1"	4	-	236
330-0612	1-1/4"	4	-	247
330-0712	1-1/2"	3	-	258
330-0812	2"	3	-	444
330-0912	2-1/2"	2	-	524
330-1012	3"	2	-	528
330-10512	3-1/2"	1	-	535
330-1112	4"	1	-	556
330-1212	5"	1	-	564
330-1312	6"	1	-	588
330-13512	7"	1	-	592
330-1412	8"	1	-	640
Below Clamps Are 2-Band Clamps				
330-1512	10"	1	-	1058
330-1612	12"	1	-	1101
330-1712	14"	1	-	-
330-1812	16"	1	-	-
330-1912	18"	1	-	-
330-2012	20"	1	-	-
330-2412	24"	1	-	-

CTS Patch Clamps

330 CTS PATCH CLAMP 3" Wide – 1 Bolt For Copper Tube Size Pipe



Model Number	Pipe Size	Carton Quantities Inner	Master	Weight per 100 pieces
330-033-CTS	1/2"	6	24	56
330-043-CTS	3/4"	6	24	57
330-053-CTS	1"	6	24	60
330-063-CTS	1-1/4"	6	24	61
330-073-CTS	1-1/2"	6	24	63
330-083-CTS	2"	4	16	105
330-093-CTS	2-1/2"	4	16	108
330-103-CTS	3"	4	16	111
330-1053-CTS	3-1/2"	2	8	133
330-113-CTS	4"	2	8	139
330-123-CTS	5"	2	-	141
330-133-CTS	6"	2	-	142

330 CTS PATCH CLAMP 6" Wide – 2 Bolt For Copper Tube Size Pipe



Model Number	Pipe Size	Carton Quantities Inner	Master	Weight per 100 pieces
330-036-CTS	1/2"	3	12	112
330-046-CTS	3/4"	3	12	115
330-056-CTS	1"	3	12	118
330-066-CTS	1-1/4"	3	12	120
330-076-CTS	1-1/2"	3	12	130
330-086-CTS	2"	2	8	207
330-096-CTS	2-1/2"	2	8	214
330-106-CTS	3"	2	8	242
330-1056-CTS	3-1/2"	1	4	270
330-116-CTS	4"	1	4	274
330-126-CTS	5"	1	-	280
330-136-CTS	6"	1	-	285

330 CTS PATCH CLAMP 9" Wide – 3 Bolt For Copper Tube Size Pipe



Model Number	Pipe Size	Carton Quantities Inner	Master	Weight per 100 pieces
330-039-CTS	1/2"	4	-	167
330-049-CTS	3/4"	4	-	173
330-059-CTS	1"	4	-	174
330-069-CTS	1-1/4"	4	-	190
330-079-CTS	1-1/2"	3	-	206
330-089-CTS	2"	3	-	333
330-099-CTS	2-1/2"	1	-	393
330-109-CTS	3"	1	-	396
330-1059-CTS	3-1/2"	1	-	401
330-119-CTS	4"	1	-	417
330-129-CTS	5"	1	-	423
330-139-CTS	6"	1	-	440

330 CTS PATCH CLAMP 12" Wide – 4 Bolt For Copper Tube Size Pipe



Model Number	Pipe Size	Carton Quantities Inner	Master	Weight per 100 pieces
330-0312-CTS	1/2"	4	-	222
330-0412-CTS	3/4"	4	-	227
330-0512-CTS	1"	4	-	236
330-0612-CTS	1-1/4"	4	-	247
330-0712-CTS	1-1/2"	3	-	258
330-0812-CTS	2"	3	-	444
330-0912-CTS	2-1/2"	2	-	524
330-1012-CTS	3"	2	-	528
330-10512-CTS	3-1/2"	1	-	536
330-1112-CTS	4"	1	-	556
330-1212-CTS	5"	1	-	564
330-1312-CTS	6"	1	-	588

OD Patch Clamps

330 OD PATCH CLAMP 3" Wide – 1 Bolt For Actual O.D. Pipe



Model Number	Pipe Size	Carton Quantities		Weight per 100 pieces
		Inner	Master	
330-083-OD	2"	4	16	105
330-093-OD	2-1/2"	4	16	108
330-103-OD	3"	4	16	111
330-1053-OD	3-1/2"	2	8	133
330-113-OD	4"	2	8	139
330-123-OD	5"	2	-	141
330-133-OD	6"	2	-	142
330-1353-OD	7"	2	-	144
330-143-OD	8"	2	-	148
330-153-OD	10"	2	-	256
330-163-OD	12"	2	-	268

330 OD PATCH CLAMP 6" Wide – 2 Bolt For Actual O.D. Pipe



330-086-OD	2"	2	8	207
330-096-OD	2-1/2"	2	8	214
330-106-OD	3"	2	8	242
330-1056-OD	3-1/2"	1	4	270
330-116-OD	4"	1	4	274
330-126-OD	5"	1	-	280
330-136-OD	6"	1	-	285
330-1356-OD	7"	1	-	292
330-146-OD	8"	1	-	298
330-156-OD	10"	1	-	507
330-166-OD	12"	1	-	563

330 OD PATCH CLAMP 9" Wide – 3 Bolt For Actual O.D. Pipe



330-089-OD	2"	3	-	333
330-099-OD	2-1/2"	1	-	393
330-109-OD	3"	1	-	396
330-1059-OD	3-1/2"	1	-	401
330-119-OD	4"	1	-	417
330-129-OD	5"	1	-	423
330-139-OD	6"	1	-	440
330-1359-OD	7"	1	-	446
330-149-OD	8"	1	-	481
330-159-OD	10"	1	-	790
330-169-OD	12"	1	-	856

330 OD PATCH CLAMP 12" Wide – 4 Bolt For Actual O.D. Pipe



330-0812-OD	2"	3	-	444
330-0912-OD	2-1/2"	2	-	524
330-1012-OD	3"	2	-	528
330-10512-OD	3-1/2"	1	-	535
330-1112-OD	4"	1	-	556
330-1212-OD	5"	1	-	564
330-1312-OD	6"	1	-	588
330-13512-OD	7"	1	-	592
330-1412-OD	8"	1	-	640
330-1512-OD	10"	1	-	1058
330-1612-OD	12"	1	-	1101

Specifications

331 FULL WRAP CLAMP

LOCKING WASHER PLATE:

Type 304, 10 gauge stainless steel.
Locks into position for easy tightening of nuts.

BOLT RECEIVERS:

Type 304, 8 gauge stainless steel. MIG welded to receiver bar and fully passivated*. Leading edge is rounded to permit locking washer plate to slide into position easily.

SHELL:

Type 304 stainless steel.

BOLTS:

Type 304 stainless steel, 5/8" rolled NC thread in sizes 4" and larger (1/2" in sizes below 4"). Bolts are MIG welded to bolt bar and fully passivated*.

NUTS:

Type 304 stainless steel, heavy hex.
Teflon** coated to prevent galling.

BOLTS AND RECEIVER BARS:

Type 304, 12 gauge stainless steel. TIG welded to shell to form a strong fusion and fully passivated*

WASHERS:

Nylon



GASKET:

Gridded Nitrile Buna Rubber is especially resistant to aromatic hydrocarbons, gasoline, petroleum oils, mineral oils, vegetable oils and natural gas.

ARMOR:

Type 304 stainless steel, heavy gauge, molded into gasket to prevent "hanging-up" during installation.

PRESSURE RATING:

125 PSI through 12" pipe size.
75 PSI over 12" pipe size.

TEMPERATURE:

-40 degrees F to 212 degrees F.

*Clamps are chemically cleaned after welding to maintain the original passive state of the stainless steel.

**Teflon is a trademark of DuPont.

CROSS-REFERENCE CHART

Clampette	331	332	333	6"	8"	10"	12"	16"	20"	24"	30"
Baker	332	334	-	7-1/2"	11-1/4"	15"	22-1/2"	-	-	-	-
Cascade	CR-1	CR-2	CR-3	6"	8"	10"	12"	16"	20"	24"	30"
Dresser	360	361	-	6"	8"	10"	12"	14"	16"	20"	30"
Ford	FS1	FS2	FS3	7-1/2"	8"	10"	12"	16"	18"	20"	30"
JCM	131	132	-	6"	7-1/2"	10"	12"	16"	18"	20"	24"
Smith-Blair	261	262	263	7-1/2"	-	10"	12-1/2"	15"	20"	24"	30"
Romac	551	552	553	6"	8"	10"	12"	16"	20"	24"	-

CTS Patch Clamps

331 FULL WRAP CLAMP

For Nominal Pipe Size



Model Number	Nominal Pipe Size (inches)	Clamp O.D. Range (inches)
331-263-(L)	2"	2.32 - 2.63
331-287-(L)	2-1/4"	2.57 - 2.87
331-300-(L)	2-1/4" - 2-1/2"	2.70 - 3.00
331-325-(L)	3"	2.95 - 3.25
331-370-(L)	3"	3.40 - 3.70
331-400-(L)	3" - 4"	3.71 - 4.00
331-475-(L)	4"	4.45 - 4.75
331-515-(L)	4"	4.75 - 5.15
331-535-(L)	4" - 5"	4.95 - 5.35
331-560-(L)	4" - 5"	5.20 - 5.60
331-635-(L)	6"	5.95 - 6.35
331-695-(L)	6"	6.55 - 6.95
331-724-(L)	6"	6.84 - 7.24
331-745-(L)	6"	7.05 - 7.45
331-785-(L)	6"	7.45 - 7.85
331-835-(L)	8"	7.95 - 8.35
331-899-(L)	8"	8.59 - 8.99
331-940-(L)	8"	9.00 - 9.40
331-970-(L)	8"	9.30 - 9.70
331-1015-(L)	8" - 10"	9.75 - 10.15
331-1105-(L)	10"	10.65 - 11.05
331-1144-(L)	10"	11.04 - 11.44
331-1175-(L)	10"	11.35 - 11.75
331-1215-(L)	10"	11.75 - 12.15
331-1235-(L)	10"	11.95 - 12.35
331-1305-(L)	12"	12.65 - 13.05
331-1350-(L)	12"	13.10 - 13.50
331-1380-(L)	12"	13.40 - 13.80
331-1410-(L)	12" - 14"	13.70 - 14.10
331-1440-(L)	12" - 14"	14.00 - 14.40

IMPORTANT! When ordering Full Wrap Clamps (above), "(L)" in part number refers to length of clamp.
 Example: To order a 331-263 (2" nominal size, O.D. Range of 2.32 - 2.63"), which is 16" in length, order model number 331-263-16.

331 FULL WRAP CLAMP - CTS

For Copper Tube Size



Model Number	Description	Box Quantity	Weight Each
331-213-6CTS	6" Long - Fits 2" CTS	1	4.0
331-326-6CTS	6" Long - Fits 3" CTS	1	4.5
331-413-8CTS	8" Long - Fits 4" CTS	1	6.8

Note: All clamps packaged one per box.
 Larger diameter clamps are available.
 Clamps are supplied with Buna N gaskets.

Full Wrap Clamps

PRODUCT #331 FULL WRAP CLAMP - WEIGHTS

Important!

When ordering Full Wrap Clamps (below), "(L)" in part number refers to length of clamp.
 Example: To order a 331-263 (2" nominal size, O.D. Range of 2.32 - 2.63"), which is 16" in length, order model number 331-263-16.

Product Number	Nominal Pipe Size (inches)	Clamp O.D. Range (inches)	Weights indicated below are per piece in lbs.								
			6"	8"	10"	12"	16"	20"	24"	30"	
331-263-(L)	2"	2.32 - 2.63	4.0	4.7	6.1	7.0	8.5	-	-	-	
331-287-(L)	2-1/4"	2.57 - 2.87	4.4	4.9	6.5	7.6	9.1	-	-	-	
331-300-(L)	2-1/4" - 2-1/2"	2.70 - 3.00	4.4	4.9	7.0	7.7	9.6	-	-	-	
331-325-(L)	3"	2.95 - 3.25	4.5	5.2	7.0	7.8	10.2	-	-	-	
331-370-(L)	3"	3.40 - 3.70	4.7	5.6	7.3	8.0	10.6	-	-	-	
331-400-(L)	3" - 4"	3.71 - 4.00	-	5.8	7.5	8.3	10.8	-	-	-	
331-475-(L)	4"	4.45 - 4.75	-	6.3	8.3	9.4	12.9	-	-	-	
331-515-(L)	4"	4.75 - 5.15	-	6.3	8.5	9.6	13.2	17.7	-	-	
331-535-(L)	4" - 5"	4.95 - 5.35	-	6.8	9.0	10.0	13.7	18.3	-	-	
331-560-(L)	4" - 5"	5.20 - 5.60	-	7.1	9.2	10.3	14.0	18.8	-	-	
331-635-(L)	6"	5.95 - 6.35	-	7.3	9.9	10.8	14.7	19.3	-	-	
331-695-(L)	6"	6.55 - 6.95	-	7.8	10.7	11.4	15.4	20.1	20.1	24.5	
331-724-(L)	6"	6.84 - 7.24	-	8.0	11.0	11.7	15.7	20.7	20.7	25.8	
331-745-(L)	6"	7.05 - 7.45	-	8.2	11.3	12.0	16.1	21.5	21.5	26.5	
331-785-(L)	6"	7.45 - 7.85	-	8.4	11.7	12.5	16.5	22.8	22.8	28.0	
331-835-(L)	8"	7.95 - 8.35	-	8.7	12.1	13.2	17.1	23.6	23.6	29.2	
331-899-(L)	8"	8.59 - 8.99	-	8.8	12.4	13.4	17.3	23.9	23.9	29.8	
331-940-(L)	8"	9.00 - 9.40	-	8.9	12.7	13.5	17.6	24.8	24.8	30.7	
331-970-(L)	8"	9.30 - 9.70	-	9.1	12.9	13.7	17.9	25.2	25.2	31.5	
331-1015-(L)	8" - 10"	9.75 - 10.15	-	10.2	13.6	14.4	18.5	26.5	26.5	35.2	
331-1105-(L)	10"	10.65 - 11.05	-	10.7	13.9	16.9	20.8	27.6	27.6	37.6	
331-1144-(L)	10"	11.04 - 11.44	-	12.5	14.0	17.3	22.9	31.2	31.2	39.3	
331-1175-(L)	10"	11.35 - 11.75	-	12.8	14.4	17.8	23.1	33.5	33.4	42.1	
331-1215-(L)	10"	11.75 - 12.15	-	13.2	14.8	18.5	24.0	34.5	34.5	44.8	
331-1235-(L)	10"	11.95 - 12.35	-	13.6	15.3	19.1	26.3	36.2	36.2	45.3	
331-1305-(L)	12"	12.65 - 13.05	-	14.1	16.0	20.5	28.1	37.0	37.0	46.5	
331-1350-(L)	12"	13.10 - 13.50	-	15.3	17.5	20.9	28.7	38.3	38.3	47.4	
331-1380-(L)	12"	13.40 - 13.80	-	15.6	18.0	21.3	29.4	39.2	39.2	48.2	
331-1410-(L)	12" - 14"	13.70 - 14.10	-	16.4	18.4	21.5	29.6	39.9	39.9	48.8	
331-1440-(L)	12" - 14"	14.00 - 14.40	-	16.8	19.1	22.4	30.0	41.6	41.6	52.3	

Note: All clamps packaged one per box.
 Larger diameter clamps are available.
 Clamps are supplied with Buna N gaskets.

Compression Products

440

MALLEABLE COMPRESSION COUPLING

Galvanized



Model Number	Pipe Size	Length	Carton Quantities		Weight per 100 pieces
			Inner	Master	
Regular					
440T02C	3/8"	2-5/16"	12	72	50
440T03C	1/2"	2-7/16"	12	48	55
440T04C	3/4"	2-3/4"	12	48	88
440T05C	1"	2-15/16"	12	48	121
440T06C	1-1/4"	3-1/8"	6	24	156
440T07C	1-1/2"	3-5/16"	6	24	218
440T08C	2"	3-9/16"	6	12	251
440T09C	2-1/2"	4-1/4"	6	12	540
440T10C	3"	4-3/4"	3	6	730
Long					
440L03C	1/2"	3-11/16"	12	48	83
440L04C	3/4"	4-1/8"	12	48	115
440L05C	1"	4-5/16"	6	24	150
440L06C	1-1/4"	4-1/2"	6	24	207
440L07C	1-1/2"	4-3/4"	6	24	255
440L08C	2"	5-1/16"	6	12	378
440L09C	2-1/2"	5-3/4"	3	12	421
440L10C	3"	6-3/4"	2	6	667
440L11C	4"	8"	2	4	871

448

MALLEABLE COMPRESSION COUPLING

Black



Long Only					
448T03C	1/2"	3-11/16"	12	48	85
448T04C	3/4"	4-1/8"	12	48	115
448T05C	1"	4-5/16"	6	24	150
448T06C	1-1/4"	4-1/2"	6	24	201
448T07C	1-1/2"	4-3/4"	6	24	255
448T08C	2"	5-1/16"	6	12	378

445

MALLEABLE COMPRESSION ADAPTERS

Galvanized



Male					
445T03C	1/2" Comp x 1/2" MIPT		12	24	35
445T04C	3/4" Comp x 3/4" MIPT		12	24	54
445T05C	1" Comp x 1" MIPT		4	16	76
445T06C	1-1/4" Comp x 1-1/4" MIPT 4		16	105	
445T07C	1-1/2" Comp x 1-1/2" MIPT 4		16	127	
445T08C	2" Comp x 2" MIPT		4	16	206
Female					
446T06C	1-1/4" Comp x 1-1/4" FIPT		4	16	117
446T08C	2" Comp x 2" FIPT		2	8	191

Compression Products

441

MALLEABLE COMPRESSION TEE

Galvanized



Model Number	Size & Description	Carton Quantities		Weight per 100 pieces
		Inner	Master	
441T03C	1/2" Comp x 1/2" Comp x 1/2" FIPT	6	24	83
441T04C	3/4" Comp x 3/4" Comp x 3/4" FIPT	4	16	118
441T05C	1" Comp x 1" Comp x 1" FIPT	6	24	150
441T06C	1-1/4" Comp x 1-1/4" Comp x 1-1/4" FIPT	4	16	208
441T07C	1-1/2" Comp x 1-1/2" Comp - 1-1/2" FIPT	3	12	260
441T08C	2" Comp x 2" Comp x 2" FIPT	1	4	389

442

MALLEABLE COMPRESSION REDUCING TEE

Galvanized



442T0605C	1-1/4" Comp x 1-1/4" Comp x 1" FIPT	4	16	198
442T0706C	1-1/2" Comp x 1-1/2" Comp x 1-1/4" FIPT	3	12	285

443

MALLEABLE COMPRESSION TEE

Galvanized



443T02C	3/8" Comp x 3/8" Comp x 3/8" Comp	6	24	81
443T03C	1/2" Comp x 1/2" Comp x 1/2" Comp	6	24	109
443T04C	3/4" Comp x 3/4" Comp x 3/4" Comp	6	24	154
443T05C	1" Comp x 1" Comp x 1" Comp	4	16	213
443T06C	1-1/4" Comp x 1-1/4" Comp x 1-1/4" Comp	3	12	291
443T07C	1-1/2" Comp x 1-1/2" Comp x 1-1/2" Comp	2	8	334
443T08C	2" Comp x 2" Comp x 2" Comp	1	4	467

444

MALLEABLE COMPRESSION ELBOW

Galvanized



444L03C	1/2" Comp x 1/2" Comp	6	24	83
444L04C	3/4" Comp x 3/4" Comp	6	24	120
444L05C	1" Comp x 1" Comp	2	8	150
444L06C	1-1/4" Comp x 1-1/4" Comp	2	8	227
444L07C	1-1/2" Comp x 1-1/2" Comp	2	8	290
444L08C	2" Comp x 2" Comp	1	4	454

Parts For Compression Products

440

BUNA-N Gaskets

For Malleable Compression Couplings



Model Number	Size
P-440T02CG	3/8"
P-440T03CG	1/2"
P-440T04CG	3/4"
P-440T05CG	1"
P-440T06CG	1-1/4"
P-440T07CG	1-1/2"
P-440T08CG	2"
P-440T09CG	2-1/2"
P-440T10CG	3"
P-440T11CG	4"

400

Rubber Gaskets

For PVC Compression Couplings



Model Number	Size
P-400T02G	3/8"
P-400T03G	1/2"
P-400T04G	3/4"
P-400T05G	1"
P-400T06G	1-1/4"
P-400T07G	1-1/2"
P-400T08G	2"
P-400T09G	2-1/2"
P-400T10G	3"
P-400T11G	4"

440

Retainer Rings

For Malleable Compression Couplings



P-440T02CRR	3/8"
P-440T03CRR	1/2"
P-440T04CRR	3/4"
P-440T05CRR	1"
P-440T06CRR	1-1/4"
P-440T07CRR	1-1/2"
P-440T08CRR	2"
P-440T09CRR	2-1/2"
P-440T10CRR	3"
P-440T11CRR	4"

400

Replacement Nuts

For PVC Compression Couplings



P-400T02N	3/8"
P-400T03N	1/2"
P-400T04N	3/4"
P-400T05N	1"
P-400T06N	1-1/4"
P-400T07N	1-1/2"
P-400T08N	2"
P-400T09N	2-1/2"
P-400T10N	3"
P-400T11N	4"

440

Replacement Nuts

For Malleable Compression Couplings



P-440T02CN	3/8"
P-440T03CN	1/2"
P-440T04CN	3/4"
P-440T05CN	1"
P-440T06CN	1-1/4"
P-440T07CN	1-1/2"
P-440T08CN	2"
P-440T09CN	2-1/2"
P-440T10CN	3"
P-440T11CN	4"

450

Replacement Gaskets

For Brass Compression Couplings



P-450T02G	3/8"
P-450T03G	1/2"
P-450T04G	3/4"
P-450T05G	1"
P-450T06G	1-1/4"
P-450T07G	1-1/2"
P-450T08G	2"
P-450T09G	2" Copper

450

Replacement Nuts

For Brass Compression Couplings



P-450T02N	3/8"
P-450T03N	1/2"
P-450T04N	3/4"
P-450T05N	1"
P-450T06N	1-1/4"
P-450T07N	1-1/2"
P-450T08N	2"
P-450T09N	2" Copper

Pipe Outside Diameter Guide


Note: Outside diameter of pipe may change from time to time.
 The information contained in this chart is the best available from various manufacturers at the time of printing
 An O.D. tape should be used to confirm these diameters prior to ordering clamps.

	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	15"	16"	18"	20"	24"	30"
CAST IRON PIPE																					
Class 100-250 AWWA Centrifugal								3.96	4.80		6.90	9.05	11.10	13.20	15.30		17.40	19.50	21.60	25.80	32.00
Class A AWWA Pit Cast						2.50		3.80	4.80		6.90	9.05	11.10	13.20	15.30		17.40	19.50	21.60	25.80	31.74
Class B AWWA Pit Cast								3.96	5.00		7.10	9.05	11.10	13.20	15.30		17.40	19.50	21.60	25.80	32.00
Class C-D AWWA Pit Cast								3.96	5.00		7.10	9.30	11.40	13.50	15.65		17.80	19.92	22.06	26.32	
MISC PIPING																					
Copper Tubing	.63	.88	1.13	1.38	1.63	2.13	2.63	3.13	4.13	5.13	6.13										
Steel Pipe - Schedule 40	.84	1.05	1.32	1.66	1.90	2.38	2.88	3.50	4.50	5.56	6.63	8.63	10.75	12.75	14.00		16.00	18.00	20.00	24.00	30.00
Plastic Pipe - (PVC) - Std.			1.32		1.90	2.38	2.88	3.50	4.50	5.56	6.63	8.63	10.75	12.75							
Plastic Pipe - (PVC) - C.I. Size									4.80		6.90	9.05	11.10	13.20							
Plastic Pipe Irrigation Pipe									4.13		6.14	8.16	10.20	12.24		15.30					
Plastic Sewer Pipe ASTM D-3034									4.22		6.28	8.40	10.50	12.50		15.30					
Polyethelene Pipe - (IPS)	1.06	1.35		1.77	2.07	2.66															
ASBESTOS - CEMENT PIPE																					
CLASS 100																					
Machined End								3.74	4.64		6.91	9.11	11.24	13.40	15.07		17.15				
Fluid-Tite Rough Barrel								3.93	5.05		7.16	9.32	11.46	13.70	15.36		17.50				
Flintite Rough Barrel								3.94	4.90		7.13	9.33	11.30	13.42	15.45		17.60				
Ring-Tite Rough Barrel								3.95	4.92		7.19	9.39	11.47	13.74	15.51		17.65				
Permaflex Rough Barrel									4.84		7.15	9.35	11.25	13.74	15.55		17.55				
Minimum Std. Rough Barrel									4.79		7.05	9.22	11.77	13.37	15.36		17.50				
Maximum Std. Rough Barrel									5.26		7.40	9.57	11.77	14.04	15.80		17.94				
CLASS 150																					
Machined End								3.84	4.81		6.91	9.11	11.66	13.92	16.22		18.46				
Fluid-Tite Rough Barrel								4.03	5.14		7.12	9.32	11.85	14.11	16.41		18.65				
Flintite Rough Barrel								4.04	5.01		7.13	9.33	11.88	14.14	16.48		18.72				
Ring-Tite Rough Barrel								4.13	5.07		7.17	9.37	11.92	14.18	16.48		18.72				
Permaflex Rough Barrel									5.00		7.20	9.40	11.92	14.20	16.50		18.75				
Minimum Std. Rough Barrel									4.97		7.07	9.27	11.82	14.08	16.38		18.62				
Maximum Std. Rough Barrel									5.32		7.37	9.62	12.12	14.38		18.97					
CLASS 200																					
Machined End								3.84	4.81		6.91	9.11	11.66	13.92	16.22		18.46				
Fluid-Tite Rough Barrel								4.18	5.32		7.36	9.46	11.88	14.11	16.44		18.74				
Flintite Rough Barrel								4.17	5.32		7.26	9.44	11.88	14.14	16.53		18.84				
Ring-Tite Rough Barrel								4.17	5.33		7.32	9.50	11.92	14.18	16.55		18.90				
Permaflex Rough Barrel									5.32		7.26	9.50	11.95	14.20	16.55		18.90				
Minimum Std. Rough Barrel									5.22		7.26	9.39	11.77	14.03	16.44		18.74				
Maximum Std. Rough Barrel									5.57		7.60	9.79	12.12	14.38	16.88		19.19				

Standing For Quality For Over 50 Years

Have You Ever Had Your Stainless Steel Patch Clamps Damaged Because Of Poor Packaging?

TRY OUR TEXAS TWO-STEP!



START WITH OUR STANDARD CLAMPETTE PACKAGE...

Note our easy to read, distinctive orange label with UPC bar code.

STEP ONE -

Even our 213 lb. truck driver can not damage our quadruple-thick, fold-up box! Our box was barely dented in this test!



STEP TWO -

As you can see the product is undamaged.

The best clamps in the best packaging!!



Clampette
Inc.

Clampette Products

MATCO-NORCA
Global sourcing. National compliance. Local service.



www.matco-norca.com

mail@matco-norca.com

NEW YORK
TEXAS
CALIFORNIA

PO Box 27, Rt. 22, Brewster NY 10509
1150 Silber Rd., Houston TX 77055
5593 Fresca Dr., La Palma CA 90623

• Toll Free: 800-431-2082
• Toll Free: 800-935-5456
• Toll Free: 866-532-8306

• Fax: 845-278-9056
• Fax: 713-680-2999
• Fax: 866-532-8307